SA - SINGLE AIR CONICAL FILTERS

Picture n.4



Picture n.5



TW - TWIN AIR CONICAL FILTERS

Picture n.1



Picture n.2



Picture n.3



Picture n.6



CODE	Flange Inside Diameter Ø1 (mm)	Base Outside Diameter Ø2 (mm)	Top Outside Diameter Ø3 (mm)	Height - H1 (mm)	Height - H2 (mm)	Flange Length (mm)	Top style	Top material/Finsh	Flanges	Flange Type	Flange Angle α°	Filter Material	Ref. to Picture n.	Warranty
FMSA28-60	28	58	53	62	78	16	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA32-63	32	75	77	63	85	22	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA41-60	41	75	52	60	76	16	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA42-127	42	76	76	124	140	16	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA49-75	49	76	53	75	92	17	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA50-85	50	72	72	86	96	10	Single Air	Plastic	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS50-100	50	105	87	81	100	19	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS50-128	50	107	87	130	149	19	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS50-150	50	107	84	153	171	18	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSS52-102	52	89	89	102	118	16	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSS52-127	52	89	89	127	146	19	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSS52-152	52	89	89	152	171	19	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA53-48	53	72	41	48	60	12	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA53-102	53	90	53	101	121	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA53-85	53	90	77	84	104	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA54-150	54	86	65	150	170	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS60-85	60	85	62	84	104	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FMSA60-100	60	85	63	95	110	15	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA60-150	60	106	87	152	196	44	Single Air	Polyurethane	1	Angled	12 degrees	Oiled Cotton Gauze	5	2 Year Limited
FBSS60-128	60	107	87	130	149	19	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS60-150	60	108	87	153	174	21	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA60-128	60	107	87	130	173	43	Single Air	Polyurethane	1	Angled	12 degrees	Oiled Cotton Gauze	5	2 Year Limited
FBSA60-140	60	152	138	143	186	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA60-110	60	152	138	113	156	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA60-140C	60	152	138	143	186	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA60-110C	60	152	138	113	156	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA65-128	65	100	77	128	143	15	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA65-130	65	100	77	130	145	15	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA65-150	65	106	87	152	198	46	Single Air	Polyurethane	1	Angled	12 degrees	Oiled Cotton Gauze	5	2 Year Limited
FMSA66-110	66	100	62	101	121	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSS70-70	70	106	86	77	100	23	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA70-150	70	106	87	152	198	46	Single Air	Polyurethane	1	Angled	12 degrees	Oiled Cotton Gauze	5	2 Year Limited
FBSS70-128	70	107	87	131	151	20	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited

FBSA70-128	70	115	87	128	165	37	Single Air	Polyurethane	1	Angled	12 degrees	Oiled Cotton Gauze	5	2 Year Limited
FBSS70-150	70	115	87	154	175	21	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA70-110	70	152	138	112	155	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA70-140	70	152	138	143	186	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA70-110C	70	152	138	112	155	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA70-140C	70	152	138	143	186	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA76-110	76	152	138	113	153	40	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA76-140	76	150	134	140	183	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA76-110C	76	152	138	113	153	40	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA76-140C	76	150	134	140	183	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA80-124P	80	115	77	124	142	18	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA80-110	80	151	138	113	156	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA80-140	80	152	138	143	186	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA80-110C	80	151	138	113	156	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA80-140C	80	152	138	143	186	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA85-110	85	152	138	113	156	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA85-140	85	152	137	143	186	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA85-110C	85	152	138	113	156	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA85-140C	85	152	137	143	186	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA90-110	90	152	138	113	156	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA90-140	90	152	137	143	186	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA90-110C	90	152	138	113	156	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA90-140C	90	152	137	143	186	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA100-110	100	152	138	113	156	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA100-140	100	152	138	143	185	42	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA100-110C	100	152	138	113	156	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA100-140C	100	152	138	143	185	42	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-110	110	150	138	110	153	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-140	110	150	138	140	183	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-200	110	150	138	200	243	43	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-300	110	150	138	303	345	42	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-110C	110	150	138	110	153	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-140C	110	150	138	140	183	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-200C	110	150	138	200	243	43	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA110-300C	110	150	138	303	345	42	Single Air	Carbon	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA00001	114	149	114	114	130	16	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA00002	43	86	87	127	150	23	Single Air	Polyurethane	1	Angled	10 degrees	Oiled Cotton Gauze	5	2 Year Limited
FBSA00004	101	152	114	178	194	16	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBSA00008	113	152	114	136	152	16	Single Air	Polyurethane	1	Centered	0	Oiled Cotton Gauze	4	2 Year Limited
FBTS50-150P	50	108	85	156	174	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTS50-150	50	108	85	156	174	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW60-150P	60	106	84	152	179	27	Twin Air	Plastic	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited
FBTS60-150P	60	108	84	154	179	25	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW60-140P	60	150	134	140	183	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW60-150	60	106	84	152	179	27	Twin Air	Metal	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited
FBTS60-150	60	108	84	154	179	25	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW60-140	60	150	134	140	183	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW60-140C	60	150	134	140	183	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW63-140P	63	150	134	140	183	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTS70-150P	70	108	84	154	179	25	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW70-150P	70	106	84	152	197	45	Twin Air	Plastic	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited
FBTW70-140P	70	152	84	143	185	42	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTS70-150	70	108	84	154	179	25	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW70-150	70	106	84	152	197	45	Twin Air	Metal	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited
FBTW70-140	70	152	84	143	185	42	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTS70-150C	70	108	84	154	179	25	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW70-140C	70	152	84	143	185	42	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW76-140P	76	151	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW76-200P	76	151	134	203	246	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW76-140	76	151	134	143	186	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW76-200	76	151	134	203	246	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited

FBTW76-140C	76	151	134	143	186	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-151P	80	127	86	151	170	19	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-140P	80	151	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-80	80	130	119	80	100	20	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-140	80	151	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-151C	80	127	86	151	170	19	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW80-140C	80	151	134	143	186	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW85-140P	85	152	134	143	185	42	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW85-140	85	152	134	143	185	42	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW85-140C	85	152	134	143	185	42	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-130P	90	144	134	135	195	60	Twin Air	Plastic	1	Centered *with hole for Bosch Sensor	0	Oiled Cotton Gauze	2	2 Year Limited
FBTW90-140P	90	150	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-200P	90	151	134	203	246	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-300P	90	153	134	302	342	40	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-130	90	144	134	135	195	60	Twin Air	Metal	1	Centered *with hole for Bosch Sensor	0	Oiled Cotton Gauze	2	2 Year Limited
FBTW90-140	90	150	134	143	186	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-200	90	151	134	203	246	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW90-130C	90	144	134	135	195	60	Twin Air	Carbon	1	Centered *with hole for Bosch Sensor	0	Oiled Cotton Gauze	2	2 Year Limited
FBTW90-140C	90	150	134	143	186	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-140P	100	152	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-200P	100	150	134	200	243	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-140	100	152	134	143	186	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-200	100	150	134	200	243	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-140C	100	152	134	143	186	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW100-200C	100	150	134	200	243	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW110-140P	110	152	134	143	186	43	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW110-140P	110	172	134	202	186	33	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW110-140	110	152	134	143	186	43	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW110-140C	110	152	134	143	186	43	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW130-140P	130	140	134	143	161	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW130-206P	130	180	134	206	230	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW130-200P	130	192	134	202	235	33	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW130-140	130	140	134	143	161	18	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW130-140C	130	140	134	143	161	18	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW141-206P	141	191	134	206	230	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW141-230P	141	191	134	230	254	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW141-206	141	191	134	206	230	24	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW141-230	141	191	134	230	254	24	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW141-230C	141	191	134	230	254	24	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-140P	130	140	134	143	161	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-160P	150	160	134	163	181	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-206P	150	200	134	206	230	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-230P	150	200	134	230	254	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-140	150	160	134	143	161	18	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-160	150	160	134	163	181	18	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-206	150	200	134	206	230	24	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-230	150	200	134	230	254	24	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-140C	150	160	134	143	161	18	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-160C	150	160	134	163	181	18	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	1	2 Year Limited
FBTW150-206C	150	200	134	206	230	24	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW150-230C	150	200	134	230	254	24	Twin Air	Carbon	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW65-150P	152	107	84	152	197	45	Twin Air	Plastic	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited

FBTW65-150	152	107	84	152	197	45	Twin Air	Metal	1	Angled	12 degrees	Oiled Cotton Gauze	6	2 Year Limited
FBTW178-206P	178	228	134	206	230	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW203-206P	203	253	134	206	230	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW203-230P	203	253	134	230	254	24	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW00002	114	149	119	114	130	16	Twin Air	Metal	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited
FBTW00003	76	113	85	133	151	18	Twin Air	Plastic	1	Centered	0	Oiled Cotton Gauze	3	2 Year Limited

ENGINE BREATHER FILTERS

Picture n.4



CODE	Flange Inside Diameter Ø1 (mm)	Base Outside Diameter Ø2 (mm)	Top Outside Diameter Ø3 (mm)	Height - H1 (mm)	Height - H2 (mm)	Flange Length (mm)	Top style	Top material/Finsh	Flanges	Flange Type	Flange Angle	Filter Material	Ref. to Picture n.	Warranty
FBSA12-40	12	51	41	48	61	13	Single Air	Plastic	1	Centered	0	Cotton Gauze	4	2 Year Limited
FBSA16-40	16	51	41	48	61	13	Single Air	Plastic	1	Centered	0	Cotton Gauze	4	2 Year Limited
FBSA20-40	20	51	41	48	61	13	Single Air	Plastic	1	Centered	0	Cotton Gauze	4	2 Year Limited
FBSA25-40	25	51	41	48	61	13	Single Air	Plastic	1	Centered	0	Cotton Gauze	4	2 Year Limited
FBSA30-40	30	51	41	48	61	13	Single Air	Plastic	1	Centered	0	Cotton Gauze	4	2 Year Limited

SINGLE FILTERS FOR CARBURETTORS (UNIVERSAL)

Picture n.7



Picture n.8



CODE	Flange Inside Diameter Ø1 (mm)	Base Outside Length A (mm)	Base Outside Width B (mm)	Height - H1 (mm)	Height - H2 (mm)	Height - H3 (mm)	Flange Length (mm)	Top style	Top material/Finsh	Flanges	Flange Type	Offset Width C (mm)	Filter Material	Ref. to Picture n.
FMSA50-66O	50	102	75	66	83		17	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7
FBPF50-70C	50	102	75	71	89		18	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7
FBPF50-70L	50	102	75	71	89		18	Oval Straight	Metal	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF50-70R	50	102	75	71	89		18	Oval Straight	Metal	1	Offset	4 to the Right	Oiled Cotton Gauze	7
FBPF50-80C	50	102	75	80	98		18	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7
FBPF50-120C	50	102	75	120	138		18	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7

FBPF50-120R	50	102	75	120	138		18	Oval Straight	Metal	1	Offset	4 to the Right	Oiled Cotton Gauze	7
FBPF50-120L	50	102	75	120	138		18	Oval Straight	Metal	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF55-70C	55	102	75	71	89		18	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7
FBPF55-70L	55	102	75	71	89		18	Oval Straight	Metal	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF55-70R	55	102	75	71	89		18	Oval Straight	Metal	1	Offset	4 to the Right	Oiled Cotton Gauze	7
FBPF55-120C	55	102	75	120	138		18	Oval Straight	Metal	1	Offset	0	Oiled Cotton Gauze	7
FBPF55-120L	55	102	75	120	138		18	Oval Straight	Metal	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF55-120R	55	102	75	120	138		18	Oval Straight	Metal	1	Offset	4 to the Right	Oiled Cotton Gauze	7
FBPF50-70SC	50	102	75	65	82	38	17	Oval Angled	Metal	1	Offset	0	Oiled Cotton Gauze	8
FBPF50-70SD	50	102	75	65	82	38	17	Oval Angled	Metal	1	Offset	4 to the Right	Oiled Cotton Gauze	8
FBPF50-70SS	50	102	75	65	82	38	17	Oval Angled	Metal	1	Offset	4 to the Left	Oiled Cotton Gauze	8
FBPF50-70C-CT	50	102	75	71	89		18	Oval Straight	Carbon	1	Offset	0	Oiled Cotton Gauze	7
FBPF50-70L-CT	50	102	75	71	89		18	Oval Straight	Carbon	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF50-70R-CT	50	102	75	71	89		18	Oval Straight	Carbon	1	Offset	4 to the Right	Oiled Cotton Gauze	7
FBPF55-70C-CT	55	102	75	71	89		18	Oval Straight	Carbon	1	Offset	0	Oiled Cotton Gauze	7
FBPF55-70L-CT	55	102	75	71	89		18	Oval Straight	Carbon	1	Offset	4 to the Left	Oiled Cotton Gauze	7
FBPF55-70R-CT	55	102	75	71	89		18	Oval Straight	Carbon	1	Offset	4 to the Right	Oiled Cotton Gauze	7

TWIN FILTERS FOR CARBURETTORS (UNIVERSAL)

Picture n.9



CODE	Flange Inside Diameter Ø1 (mm)	Base Outside Length A (mm)	Base Outside Width B (mm)	H1 (mm)	Height H2 (mm)	Flange Length (mm)	Top style	Top material/Finsh	Flanges	Flange Type	Offset Width C (mm)	Flange Center to Center I (mm)	Filter Material	Ref. to Picture n.
FMTW47-64-76	47	153	97	76	98	22	Oval Straight	Polyurethane	2	Offset	8	64	Oiled Cotton Gauze	9
FMTW47-64-76RACE	47	153	97	76	98	22	Oval Straight	Polyurethane	2	Offset	8	64	Oiled Cotton Gauze	9
FMTW38-74-76	47	153	97	76	98	22	Oval Straight	Polyurethane	2	Offset	8	64	Oiled Cotton Gauze	9
FMSA47-64-45	47	153	97	45	67	22	Oval Straight	Polyurethane	2	Offset	8	64	Oiled Cotton Gauze	9

TWIN FILTERS FOR CARBURETTORS (SPECIFIC)

Brand	Model	Name	Chassis	Year	Article	Price €
SUZUKI	GSX	R 1100 [Full Kit, 2 Filters]		89>92	FM2922	119,90 €
SUZUKI	GSX	R 750 [Full Kit, 2 Filters]		88>91	FM2922	119,90 €
SUZUKI	GSX	600 F [Full Kit, 2 Filters]		96>00	FM2922	119,90 €
SUZUKI	GSX	750 F [Full Kit, 2 Filters]		90>03	FM2922	119,90 €
SUZUKI	GSF	BANDIT 1200 [Full Kit, 2 Filters]		89>02	FM2922	119,90 €
YAMAHA	FZR	750 [Full Kit, 2 Filters]		87>88	FM2922	119,90 €
YAMAHA	FZR	1000 [Full Kit, 2 Filters]		89>95	FM3092	119,90 €
YAMAHA	YZF	750 R [Full Kit, 2 Filters]		93>98	FM3092	119,90 €
YAMAHA	YZF	1000 THUNDERACE [Full Kit, 2 Filters]		96>00	FM3092	119,90 €